## New Holland Mid-mount Finishing Mower Specifications



54CMS 60CMS 230GM

MODEL SIZE	54CMS 54-inch	60CMS 60-inch	230GM 60-inch
Cutting width, in. (mm) Number of blades	54 (1371.6)	60 (1524.0) 3	60 (1524.0)
Blade length, in. (mm)	18.7 (475)	20.6 (523.2)	20.6 (523.2)
Blade width, in. (mm)	2.4 (61)	2.8 (71.1)	2.8 (71.1)
Blade tip speed (fpm)	14,970	15,452	15,452
Blade type		Standard	
P10 drive		MId	
Cutting height - max. setting, in. (mm)		4 (101.6)	
Iransport height, in. (mm)		6 (152.4)	
Overall width, in. (mm)	67.9 (1724.7)	73.8 (1874.5)	73.8 (1874.5)
		YeS	
Tire compatibility:		V	
IIIUUSIIIII (H4)		YesVoo	
Mojaht the (kg)	220 (00 0)		254 (115.2)
weight, ibs. (kg)	220 (99.8)	204 (115.2)	204 (110.2)

## New Holland Mid-mount Finishing Mower Specifications



914A Side-discharge 914A Rear-discharge

MODEL 914A Side-discharge SIZE	54-inch	60-inch	60-inch	72-inch
Cutting width, in. (mm)	54 (1371.6)	60 (1524.0)	60 (1524.0)	72 (1828.8)
Cutting height - min., in. (mm)	1.5 (38.1)	1 (25.4)	1.5 (38.1)	1.5 (38.1)
Cutting height - max., in. (mm)	4 (101.6)	3.5 (88.9)	4 (101.6)	4 (101.6)
Overall width, in. (mm)	67 (1701.8)	73.3 (1860.6)	76.5 (1943.1)	85.5 (2171.7)
Number of blades			}	
Blade type	Standard	High lift	High lift	Standard
Blade length, in. (mm)	18.3 (463.6)	20.4 (518.2)	20.4 (518.2)	24.5 (622.3)
Blade width, in. (mm)	2.5 (63.5)	2.5 (63.5)	2.5 (63.5)	3 (76.2)
Blade tip speed (fpm)	16,026	15,306	15,306	15,616
PTO drive		M	id	
Gauge wheels, in. (mm)		6 x 2.5 (15	2.4 x 63.5)	
Deck spring suspension Compatibility with loader		Stan	dard	
Compatibility with loader		Y6	es	
Tire compatibility:				
Agricultural (R1)		Ye	95	
Industrial (R4)		Y6	es	
Turf (R3)		Ye	95	
Galaxy <sup>®</sup> Turf	NA	NA	Yes*	Yes*
Weight, lbs. (kg)	440 (199.6)	475 (215.5)	515 (233.6)	530 (240.4)

<sup>\*</sup> Requires accessory

MODEL 914A Rear-discharge SIZE	60-inch	72-inch	84-inch
Cutting width, in. (mm)	60 (1524.0)	72 (1828.8)	84 (2133.6)
Cutting height - min., in. (mm)	1.5 (38.1)	1.5 (38.1)	2 (50.8)
Overall width, in. (mm)	62.4 (1585.0)	74.4 (1889.8)	87.4 (2220.0)
Number of blades	3	3	4
Blade type	Standard	High lift	Gator Mulcher® blades
Blade length, in. (mm)	20.4 (518.2)	24.5 (622.3)	22.8 (579.4)
Blade width, in. (mm) Blade tip speed (fpm)	2.5 (63.5) 15.306	3 (76.2) 15.616	3 (76.2)
DIAUE IIP SPEEU (IPIII)	15,500	10,010 Mid	15,616
Gauge wheels, in (mm)		6 x 2.5 (152.4 x 63.5)	
Deck spring suspension		Standard	
Compatible with loader		Yes	
Tire compatibility:			
Agricultural (R1)		Yes	
Industrial (R4)		Yes	
,			
Galaxy® Turf	NA 40.4 (400.0)	Yes*	Yes*
weight, ibs. (kg)	424 (192.3)	520 (235.9)	775 (351.5)

<sup>\*</sup> Requires accessory

## New Holland Mid-mount Finishing Mower Specifications Grass Catcher Specifications



9CG, Unit for 914A

MODEL Number of bags	9CG	<b>Unit for 914A</b> 3	
Bag capacity (less lid) - bu.	9.75	NA	
Bag capacity (with lid) - bu.	12	10	
Dump system	Mi	anual	
Impeller blade #		4	
Impeller and blower assembly type	High density polyethylene	Welded steel	
Width with 54-inch mower deck, in. (mm)	68 (1727)	NA	
Width with 60-inch mower deck, in. (mm)	73 (1854)	NA	
Storage stands	Standard	NA	
Drive type	PTO shaft drive	Belt drive to 90-degree gearbox	
Mount type	Three-p	oint hitch	
Weight, lbs. (kg)	18	) (82)	

Visit our Web site at www.newholland.com/na. Or, call toll-free 866-NEW-HLND (866-639-4563).



